



Overview

Completed for £3,335 (inc. VAT, delivery and installation)

Guaranteed to tire out even the most active of children, this double play platform takes full advantage of the linear space available at the bottom of this garden.

A stairway provides access to the first platform. This platform is 4ft. square and set 3ft above the ground.

A wobble bridge provides an exciting route to the second platform which is 4ft square and 4ft above the ground.

The second platform has a climbing wall attached on the right hand side and a knotted rope tied to the balustrade. These provide somewhat more active routes onto the play structure and allow different circuits to be taken around the play platforms. A hanging swing seat is attached under this platform and provides a lovely shady spot for some well earned rest.

A single swing gantry is attached on the left of structure.

The staircase and raised areas are all protected with balustrade rails.

The customer supplied and fitted their own swing in the swing gantry and at the customer's request the knotted rope was attached to the balustrade above the climbing wall and not on the climbing wall.

Dimensions

Footprint width: 5.2m (17')

Footprint depth: 2.1m (7')

Colours

Finished with Sadolin Classic Timber Protection. There are many more colour options available on our website.



Chicago Grey (Sadolin Classic)
Balustrade rails



Opal White (Sadolin Classic)
Hanging Swing Seat

Build Specification

The following specification reflects that of the featured build with the price shown at the top of this document. Please refer to our website for details on other build options.

Floor

Raised Platform

A standard platform construction for all raised projects, this can either be used as an open platform or have a building installed directly onto it.

- Posts 100mm x 100mm pressure treated redwood planned with swept edges
- Spacing as appropriate but a minimum of 1.8m centres
- Bearers to be 100mm x 50mm pressure treated bearers
- The structure is fitted together using 150mm, 100mm and 80mm screws, zinc yellow
- Braces are fitted at the top of each post
- Posts fitted into ground as appropriate
- If required concrete is used to secure posts in to the ground
- 125mm x 35mm good quality pressure treated grooved decking boards are fitted to the bearers using decking screws
- A skirt is fitted around outside edge of platform

For an additional cost the decking can be painted with an anti-slip paint, please ask for details.

Build Level


Playframe

- Our playframes have an external grade wall used on buildings and parts of projects where the weather will have full access to the inside as well as the outside.
- The framework is built using a good quality, 38mm x 50mm profile redwood timber planned and sanded with swept edges.
- The framework is fixed together using zinc yellow screws
- 12mm Redwood cladding is fitted to the outside of the framework, this is glued as well as pinned with 38mm galvanised pins
- The wall is finished inside and out with paint/preservative to suit
- If the top edge is exposed a tanolised edge trim is fitted.

Included Accessories

These accessories are included in the featured build. You can customise your playhouse by adding more accessories. Please visit our website to see all the options.

Active Fun



Climbing Wall & Knotted Rope



Wobble Bridge



Single Swing Gantry

Outside Options



Hanging Swing Seat (3ft)

Other Options

This playhouse can be customised to your preference by changing the build specification. The different build levels are explained in detail on our website.

This table shows the cost of the different build levels that are available.

Build option

Further information

Go to www.theplayhousecompany.co.uk and search for code "PHC150526" for the most up to date prices and information.